

Mini Marex

Expansé

ESPECES APPROPRIÉES & APPLICATIONS

Aliment pour l'entretien et la reproduction de tous les petits primates d'amérique.

AVANTAGES NUTRITIONNELS

- l'aliment MINIMAREX présente tous les avantages de l'aliment MP mais en petit format, plus adapté aux petites espèces.
- Enrichi avec 400mg/kg de Polyphosphate d'Ascorbyl, forme stable et facilement assimilable de vitamine C.
- Contient de la vitamine D nécessaire pour les espèces du nouveau monde.

RECOMMANDATIONS ALIMENTAIRES

Bien que ce soit un régime complet, celui-ci peut être complété et varié avec des fruits frais afin d'éviter la monotonie.

REFERENCE

| Aliment | Forme | Code Produit |
|----------------|---------|--------------|
| Minim arex (E) | Expansé | 808016 |

- Tous les aliments standards sont disponibles avec des analyses complètes sur demande.

Email: france@sdsdiets.com

INGREDIENTS

Issues de blé, blé, farine de volaille, maïs, tourteau de soja, huile de soja, levure, poudre de petit lait, acides aminés, prémélange de vitamines et minéraux.



Mini Marex

Calculated Analysis

| NUTRIENTS | Total | Supp (9) |
|--|-------|----------|
| Proximate Analysis | | |
| Moisture (1) | % | 10.00 |
| Crude Oil | % | 7.12 |
| Crude Protein | % | 24.31 |
| Crude Fibre | % | 3.75 |
| Ash | % | 10.26 |
| Nitrogen Free Extract | % | 43.96 |
| Digestibility Co-Efficients (7) | | |
| Digestible Crude Oil | % | 6.47 |
| Digestible Crude Protein | % | 21.70 |
| Carbohydrates, Fibre and Non Starch Polysaccharides (NSP) | | |
| Total Dietary Fibre | % | 13.81 |
| Pectin | % | 1.24 |
| Hemicellulose | % | 8.61 |
| Cellulose | % | 3.19 |
| Lignin | % | 1.39 |
| Starch | % | 29.16 |
| Sugar | % | 4.27 |
| Energy (5) | | |
| Gross Energy | MJ/kg | 15.60 |
| Digestible Energy (15) | MJ/kg | 12.96 |
| Metabolisable Energy (15) | MJ/kg | 11.85 |
| Atwater Fuel Energy (AFE) (8) | MJ/kg | 14.09 |
| AFE from Oil | % | 19.01 |
| AFE from Protein | % | 28.84 |
| AFE from Carbohydrate | % | 52.15 |
| Fatty Acids | | |
| Saturated Fatty Acids | | |
| C12:0 Lauric | % | 0.15 |
| C14:0 Myristic | % | 0.28 |
| C16:0 Palmitic | % | 0.99 |
| C18:0 Stearic | % | 0.20 |
| Monounsaturated Fatty Acids | | |
| C14:1 Myristoleic | % | 0.01 |
| C16:1 Palmitoleic | % | 0.11 |
| C18:1 Oleic | % | 2.10 |
| Polyunsaturated Fatty Acids | | |
| C18:2(ω6) Linoleic | % | 1.94 |
| C18:3(ω3) Linolenic | % | 0.26 |
| C20:4(ω6) Arachidonic | % | 0.12 |
| C22:5(ω3) Clupanodonic | % | |
| Amino Acids | | |
| Arginine | % | 1.63 |
| Lysine (6) | % | 1.35 |
| Methionine | % | 0.42 |
| Cystine | % | 0.32 |
| Tryptophan | % | 0.26 |
| Histidine | % | 0.70 |
| Threonine | % | 0.90 |
| Isoleucine | % | 0.95 |
| Leucine | % | 1.77 |
| Phenylalanine | % | 1.03 |
| Valine | % | 1.14 |
| Tyrosine | % | 0.77 |
| Taurine | % | |
| Glycine | % | 2.19 |
| Aspartic Acid | % | 1.54 |

| NUTRIENTS | Total | Supp (9) |
|--|-------|----------|
| Glutamic Acid | % | 3.92 |
| Proline | % | 1.63 |
| Serine | % | 0.55 |
| Hydroxyproline | % | 0.26 |
| Hydroxylysine | % | 0.09 |
| Alanine | % | 1.16 |
| Macro Minerals | | |
| Calcium | % | 2.65 |
| Total Phosphorus | % | 1.07 |
| Phytate Phosphorus | % | 0.21 |
| Available Phosphorus | % | 0.86 |
| Sodium | % | 0.30 |
| Chloride | % | 0.29 |
| Potassium | % | 0.69 |
| Magnesium | % | 0.25 |
| Micro Minerals | | |
| Iron | mg/kg | 367.29 |
| Copper | mg/kg | 16.62 |
| Manganese | mg/kg | 80.87 |
| Zinc | mg/kg | 74.18 |
| Cobalt | µg/kg | 1742.69 |
| Iodine | µg/kg | 2623.98 |
| Selenium | µg/kg | 224.74 |
| Fluorine | mg/kg | 9.35 |
| Vitamins | | |
| β-Carotene (2) | mg/kg | 0.80 |
| Retinol (2) | µg/kg | 7562.34 |
| Vitamin A (2) | iu/kg | 25196.14 |
| Cholecalciferol (3) | µg/kg | 250.95 |
| Vitamin D (3) | iu/kg | 10038.03 |
| α-Tocopherol (4) | mg/kg | 87.38 |
| Vitamin E (4) | iu/kg | 96.10 |
| Vitamin B ₁ (Thiamine) | mg/kg | 21.06 |
| Vitamin B ₂ (Riboflavin) | mg/kg | 13.25 |
| Vitamin B ₆ (Pyridoxine) | mg/kg | 10.50 |
| Vitamin B ₁₂ (Cyanocobalamin) | µg/kg | 23.39 |
| Vitamin C (Ascorbic Acid) (16) | mg/kg | 402.54 |
| Vitamin K (Menadiolone) | mg/kg | 4.15 |
| Folic Acid (Vitamin B ₉) | mg/kg | 6.83 |
| Nicotinic Acid (Vitamin PP) (6) | mg/kg | 80.13 |
| Pantothenic Acid (Vitamin B ₃) | mg/kg | 32.81 |
| Choline (Vitamin B ₄) | mg/kg | 1496.64 |
| Inositol | mg/kg | 1544.04 |
| Biotin (Vitamin H) (6) | µg/kg | 429.91 |

Notes

- All values are calculated using a moisture basis of 10%. Typical moisture levels will range between 9.5 - 11.5%.
- a. Vitamin A includes Retinol and the Retinol equivalents of β-carotene
b. Retinol includes the Retinol equivalents of β-carotene
c. 0.48 µg Retinol = 1 µg β-carotene = 1.6 iu Vitamin A activity
d. 1 µg Retinol = 3.33 iu Vitamin A activity
e. 1 iu Vitamin A = 0.3 µg Retinol = 0.6 µg β-carotene
f. The standard analysis for Vitamin A does not detect β-carotene
- 1 µg Cholecalciferol (D₃) = 40.0 iu Vitamin D
- 1 mg all-rac-α-tocopherol = 1.1 iu Vitamin E activity
1 mg all-rac-α-tocopherol acetate = 1.0 iu Vitamin E activity
- 1 MJ = 239.23 Kcalories = 239.23 Calories = 239,230 calories
- These nutrients coming from natural raw materials such as cereals may have low availabilities due to the interactions with other compounds.
- Based on in-vitro digestibility analysis.
- AF Energy = Atwater Fuel Energy = ((CO%/100)*9000)+((CP%/100)*4000)+((NFE%/100)*4000)/239.23
- Supplemented nutrients from manufactured and mined sources.
- Calculated.
- Supplemented Vit. C as Ascorbyl Polyphosphate.