

RAT & SOURIS N°3 AUTOCLAVABLE REPRODUCTION

Bouchon

ESPECES APPROPRIÉES & APPLICATIONS

Aliment autoclavable pour rats et souris en reproduction, lactation et croissance des jeunes animaux.

AVANTAGES NUTRITIONNELS

- Niveaux élevés des nutriments favorisent les performances de reproduction et donnent d'excellents et rapides taux de croissance chez les jeunes.
- Taux de vitamines renforcés pour compenser les effets de tous les cycles d'autoclavage
- Enrobage de dioxyde de silicone inerte pour éviter la prise en masse durant l'autoclavage.

RECOMMANDATIONS ALIMENTAIRES

Distribuer l'aliment à volonté.

DIRECTIVES POUR L'AUTOCLAVAGE

Les aliments SDS autoclavables peuvent être autoclavés dans leurs sacs ou sur des plateaux. Les sacs doivent être empilés uniformément dans l'autoclave avec un espacement adéquat entre les sacs afin de permettre une stérilisation efficace.

REFERENCE

Aliment	Forme	Code Produit
Standard RM3A (P)	Bouchon 9.5mm	801030

Email: france@sdsdiets.com

INGREDIENTS

Blé, issues de blé, tourteau de soja, orge, macro minéraux, levure, Dextrose, protéine de pomme de terre, gluten de blé hydrolysé, soja, huile de soja, gluten de maïs, acides aminés, micro-minéraux



RAT & SOURIS N°3 AUTOCLAVABLE REPRODUCTION

Calculated Analysis

NUTRIENTS		Total	Supp (9)	NUTRIENTS		Total	Supp (9)
Proximate Analysis							
Moisture (1)	%	10.00		Glutamic Acid	%	4.30	
Crude Oil	%	4.16		Proline	%	1.53	
Crude Protein	%	21.86		Serine	%	0.98	
Crude Fibre	%	4.33		Hydroxyproline	%		
Ash	%	7.89		Hydroxylysine	%		
Nitrogen Free Extract	%	51.24		Alanine	%	0.27	
Digestibility Co-Efficients (7)							
Digestible Crude Oil	%	3.77		Macro Minerals			
Digestible Crude Protein	%	19.64		Calcium	%	1.24	1.11
Carbohydrates, Fibre and Non Starch Polysaccharides (NSP)							
Total Dietary Fibre	%	15.70		Total Phosphorus	%	0.80	0.29
Pectin	%	1.47		Phytate Phosphorus	%	0.25	
Hemicellulose	%	9.33		Available Phosphorus	%	0.54	0.29
Cellulose	%	4.04		Sodium	%	0.24	0.19
Lignin	%	1.50		Chloride	%	0.36	0.31
Starch	%	33.61		Potassium	%	0.78	
Sugar	%	5.84		Magnesium	%	0.28	0.04
Energy (5)							
Gross Energy	MJ/kg	15.10		Micro Minerals			
Digestible Energy (15)	MJ/kg	12.27		Iron	mg/kg	161.01	82.73
Metabolisable Energy (15)	MJ/kg	11.24		Copper	mg/kg	20.05	8.77
Atwater Fuel Energy (AFE) (8)	MJ/kg	13.79		Manganese	mg/kg	101.71	52.88
AFE from Oil	%	11.35		Zinc	mg/kg	46.90	8.71
AFE from Protein	%	26.51		Cobalt	µg/kg	601.40	525.32
AFE from Carbohydrate	%	62.14		Iodine	µg/kg	866.40	775.18
Fatty Acids							
Saturated Fatty Acids							
C12:0 Lauric	%	0.05		Selenium	µg/kg	384.68	200.36
C14:0 Myristic	%	0.17		Fluorine	mg/kg	8.53	
C16:0 Palmitic	%	0.37		Vitamins			
C18:0 Stearic	%	0.10		β-Carotene (2)	mg/kg	1.67	
Monounsaturated Fatty Acids							
C14:1 Myristoleic	%	0.01		Retinol (2)	µg/kg	12763.83	11812.91
C16:1 Palmitoleic	%	0.09		Vitamin A (2)	iu/kg	42522.66	39376.35
C18:1 Oleic	%	1.00		Cholecalciferol (3)	µg/kg	109.24	107.50
Polyunsaturated Fatty Acids							
C18:2(ω6) Linoleic	%	1.25		Vitamin D (3)	iu/kg	4369.41	4300.00
C18:3(ω3) Linolenic	%	0.17		α-Tocopherol (4)	mg/kg	155.26	135.77
C20:4(ω6) Arachidonic	%	0.12		Vitamin E (4)	iu/kg	171.70	149.35
C22:5(ω3) Clupanodonic	%			Vitamin B ₁ (Thiamine)	mg/kg	49.77	41.19
Amino Acids							
Arginine	%	1.39		Vitamin B ₂ (Riboflavin)	mg/kg	37.74	35.04
Lysine (6)	%	1.30	0.18	Vitamin B ₃ (Pyridoxine)	mg/kg	43.43	38.98
Methionine	%	0.36	0.03	Vitamin B ₁₂ (Cyanocobalamin)	µg/kg	49.65	47.75
Cystine	%	0.35		Vitamin C (Ascorbic Acid)	mg/kg	1.38	
Tryptophan	%	0.26		Vitamin K (Menadione)	mg/kg	40.72	39.72
Histidine	%	0.54		Folic Acid (Vitamin B ₉)	mg/kg	11.64	9.31
Threonine	%	0.85		Nicotinic Acid (Vitamin PP) (6)	mg/kg	140.12	78.14
Isoleucine	%	0.96		Pantothenic Acid (Vitamin B ₅)	mg/kg	57.27	41.27
Leucine	%	1.81		Choline (Vitamin B ₄)	mg/kg	1376.42	367.05
Phenylalanine	%	1.20		Inositol	mg/kg	1809.35	13.61
Valine	%	1.12		Biotin (Vitamin H) (6)	µg/kg	530.84	230.91
Tyrosine	%	0.85		Notes			
Taurine	%			1. All values are calculated using a moisture basis of 10%. Typical moisture levels will range between 9.5 - 11.5%.			
Glycine	%	1.81		2. a. Vitamin A includes Retinol and the Retinol equivalents β-Carotene			
Aspartic Acid	%	1.34		b. Retinol includes the Retinol equivalents β-Carotene			
				c. 0.48 µg Retinol = 1 µg β-carotene = 1.6 iu Vitamin A activity			
				d. 1 µg Retinol = 3.33* iu Vitamin A activity			
				e. 1 iu Vitamin A = 0.3 µg Retinol = 0.6 µg β-carotene			
				f. The standard analysis for Vitamin A does not detect β-carotene			
				3. 1 µg Cholecalciferol (D ₃) = 40.0 iu Vitamin D			
				4. 1 mg all-rac-α-tocopherol = 1.1 iu Vitamin E activity			
				1 mg all-rac-α-tocopherol acetate = 1.0 iu Vitamin E activity			
				5. 1 MJ = 239.23 Kcalories = 239.23 Calories = 239,230 calories			
				6. These nutrients coming from natural raw materials such as cereals may have low availabilities due to the interactions with other compounds.			
				7. Based on in-vitro digestibility analysis.			
				8. AF Energy = Atwater Fuel Energy = ((CO%/100)*9000)+((CP%/100)*4000)+((NFE%/100)*4000)/239.23			
				9. Supplemented nutrients from manufactured and mined sources.			
				15. Calculated.			